

JMSH11300G2LDQ

Product Summary

Parameters	Value	Unit
V_{DSS}	110	V
$V_{GS(th_Typ)}$	3.2	V
$I_D(@V_{GS}=10V)$	38	A
$R_{DS(ON_Typ)}(@V_{GS}=10V)$	22	m



PDFN5X6-8L-D

Pin Assignment

Ordering Information

Device	Marking	MSL	Form	Package	Reel(pcs)	Per Carton (pcs)
JMSH11300G2LDQ-13	SH113002LDQ	1	Tape&Reel	PDFN5x6-8L-D	5000	50000

Absolute Maximum Ratings (@ $T_C = 25^\circ\text{C}$ unless otherwise specified)

Symbol	Parameter	Value	Unit
V_{DS}	Drain-to-Source Voltage	110	V
V_{GS}	Gate-to-Source Voltage	± 20	V
I_D	Continuous Drain Current	$T_C = 25^\circ\text{C}$ $T_C = 100^\circ\text{C}$	A
I_{DM}	Pulsed Drain Current ⁽¹⁾	Refer to Fig.4	A
E_{AS}	Single Pulsed Avalanche Energy ⁽²⁾	47	mJ
P_D	Power Dissipation	$T_C = 25^\circ\text{C}$ $T_C = 100^\circ\text{C}$	W
T_J, T_{STG}	Junction & Storage Temperature Range	-55 to 175	$^\circ\text{C}$

Thermal Characteristics


Symbol	Parameter	Max	Unit
R	Thermal Resistance, Junction to Ambient ⁽³⁾	58	$^\circ\text{C/W}$
R	Thermal Resistance, Junction to Case	1.6	

Electrical Characteristics (T_J = 25°C unless otherwise specified)

Symbol	Conditions	Min.	Typ.	Max.	Unit
Off Characteristics					
V _{(BR)DSS}		110	-	-	V
I _{DSS}		-	-	1.0	A
I _{GSS}		-	-	±100	nA
V _{GS(th)}		2.0	3.2	4.0	V
R _{DS(ON)}		-	22	30	m
R _g		-	2.2	-	
C _{iss}		-	659	890	pF
C _{oss}		-	230	315	pF
C _{rss}		-	8	15	pF
Q					

--

--



Typical Performance Characteristics

Figure 1: Power De-rating







Figure 2: Current De-rating



Typical Performance Characteristics



Typical Performance Characteristics

Figure 11: Normalized Breakdown Voltage vs. Junction Temperature





Figure 12: Normalized on Resistance vs. Junction Temperature





Test Circuit



Figure 1: Gate Charge Test Circuit & Waveform




Figure 2: Resistive Switching Test Circuit & Waveform




Figure 3: Unclamped Inductive Switching Test Circuit & Waveform




Figure 4: Diode Recovery Test Circuit & Waveform



