




\$YHUDJH JDWH SRZHU GLVVLS\$WLRQ 7			
3HDN JDWH SRZHU	3*0		:
3HDN SXOVH YROWDJH 7M QRQ UHSHWLWLYH RII VWDWH),*	9SS		

E> EOd Z / CA> C, AZ AOd EZ M d / Q OHVV RWKHUZLVH VSHFLILHG

Symbol	Test Condition	Value			Unit
		MIN.	TYP.	MAX.	
,*7	9' 9 5				P\$
9*7					9
9*'	9' 9'50 7M				



K Z E Z / E ' / E & K Z D A d / K E



D A Z < / E '






FIG.1: 0D[LPXP SRZHU GLVVLSDWLQXWWDWH FXUUHQW YHUVX
506 RQ VWDWH FXUUHQW WHPHUDWXUH






FIG.3: 6XUJH SHDN RQ VWDWH FXUUHQW YHUVX
QXPEHU RI FIFOHV

FIG.4: HQVWDWH FKDUFWHULVWLQV
H2QVWDWH






), * Ö7HVW FLUFXLW IRUHMQGWFWHWHYHRDQG WR , (&

```

, ( &          6 W D Q G D U G V
  6 X U J H * H Q H U D W R U
    6 Y R O W D J H V X U J H
      6 F X U U H Q W V X U J H

```





K Z E Z / E ' / E & K Z D Ad / K E

Order code	Voltage $V_{\text{DRM}}/V_{\text{RRM}}$ (V)	IGT(mA)	Package	Base qty. (pcs)	Delivery mode
JCT820FH	800	15	TO-220F(Ins)	50	Tube

Document Revision History

'DWH	5HYLVLRQ	&KDQJHV
-XQ	\$	/DVW XSGDWH
2FW	\$	5HYLVLRQ. \$*(0(&+\$1, &\$/'\$7\$



W AC< A' E D EC, AE / CA> Ad A

