



3 0 A R

R A 1

DESCRIPTION:

BM 3 V 0 b 0
0/ 0
0
0
0
0 -2 0

MAIN FEATURES


ABSOLUTE MAXIMUM RATINGS

0	0	0	0
0	T _g	-0 0	
0 0	T _j	-0 0	
0 -0 j2)	V _{BM}	60	V
0 j2)	V _{RM}	60	V
0 -0 c 00)	I _{BM}		


ELECTRICAL CHARACTERISTICS


Symbol	Parameter	Unit	Min	Max	Notes
I_G	$V_D = 10V$ $R_L = 10k$	-	-	0	An
				2	
V_G		A	1	13	V
V_D	$V_D = 10V$ $R_L = 10k$ $T_j = 25^\circ C$	AL	1	10	V
I_L	$I_G = 2mA$	-	-	5	An
				3	
I_H	$I_T = 5mA$				

ORDERING INFORMATION



MARKING






5

5 5 M

DELIVERY MODE



R	B					
	M			b		
	M	ḡ	M	M	ḡ	Ma
W	-		0	-		0
E	5	3 8		0 0 0		
F	5	0 5		0 0 0		
D		5 0			0 0	
D		-	-			
0	0	0 0		0	0 0	
P	0	0 0		0	0 0	
2	0	0 0		0	0 0	
0	0	0 0		3	3 8	
A	0	0 0		0	0 0	
B	3	2 3		0	0 0	
0	0	0 0		0	0 0	
T	0	0 0		0	0 0	

