


ORDERING INFORMATION

J	ST	137	H	-800	F
JieJie Microelectronics Co., Ltd.	Triacs	$I_{T(RMS)}:8A$	H:TO-251	$800:V_{DRM}/V_{RRM}1800V$	F:IGT1-3 0.25mA IGT4 0.70mA

MARKING

	<table><tr><td>Year</td><td>Production Code</td></tr><tr><td>Month</td><td>Code</td></tr></table>	Year	Production Code	Month	Code
Year	Production Code				
Month	Code				


ORDERING INFORMATION

Order code	Voltage $V_{\text{DRM}}/V_{\text{RRM}}$ (V)	IGT(mA)		Package	Base qty. (pcs)	Delivery mode
		- -				
JST137H-800F	800	25	70	TO-251	80	Tube

Document Revision History

Date	Revision	Changes
Apr.14, 2023	A.1.0	Last updated
Oct.24, 2025	A.1.1	Revise PACKAGE MECHANICAL DATA

PACKAGE MECHANICAL DATA



Information furnished in this document is believed to be accurate and reliable. However, Jiangsu JieJie Microelectronics Co., Ltd assumes no responsibility for the consequences of use without consideration for such information nor use beyond it. Information mentioned in this document is subject to change without notice, apart from that when an agreement is signed, Jiangsu JieJie complies with the agreement.

Products and information provided in this document have no infringement of patents.

Jiangsu JieJie assumes no respons

Mhr ~ M

ũ